

What is claimed is: Claims

1(currently amended). A support for a shower head ~~(8) having,~~ **comprising:**
~~4.1~~ a mounting fixture ~~(2)~~ for mounting the support such that the **support is adjustable,** ~~latter may be adjusted, if desired,~~
~~4.2~~ an arm ~~(5, 15)~~ jutting out of the mounting fixture ~~(2)~~,
~~4.3~~ a receptacle ~~(16)~~ for a shower head ~~(8)~~ arranged in the vicinity of the far end of the arm ~~(5, 15)~~, and
~~4.4~~ at least one additional shower fixture ~~(11)~~ attached to the arm ~~(5, 15)~~.

2(currently amended). A shower support according to claim 1, wherein the additional shower fixture ~~(11) may~~ **can** be supplied with water independently of the shower head ~~(8)~~.

3(currently amended). A shower support according to claim 1 ~~or claim 2,~~ having a channel passing through the arm ~~(5, 15)~~ and leading to the additional shower fixture ~~(11)~~.

4(currently amended). A shower support according to **claim 1** ~~any of the foregoing claims,~~ wherein the arm ~~(5, 15) is configured in the form of~~ **comprises a** length of hollow, profiled stock, at least ~~out~~ **from the mounting fixture** to the additional shower fixture ~~(11)~~.

5(currently amended). A shower support according to **claim 1** ~~any of the foregoing claims,~~ wherein the additional shower fixture ~~(11)~~ is arranged between the mounting fixture ~~(2)~~ and the far end of the arm ~~(5, 15)~~.

6(currently amended). A shower support according to **claim 1** ~~any of the foregoing claims,~~ wherein ~~a~~ the direction of ~~a~~ the jet exiting the additional shower fixture ~~(11)~~ is adjustable.

7(currently amended). A shower support according to claim 1 ~~any of the foregoing claims~~, wherein the additional shower fixture (11) is mounted on a ~~the~~ side of the ~~the wall-mounting arm (5, 15)~~ jutting from the mounting fixture.

8(currently amended). A shower support according to claim 1 ~~any of the foregoing claims~~, wherein at least one said additional shower fixture (11) is mounted on a ~~the~~ underside of the ~~the wall-mounting arm (5, 15)~~ jutting from the mounting fixture.

9(currently amended). A shower support according to claim 1 ~~any of the foregoing claims~~, having several additional said shower fixtures (11) and a water-supply conduit common to all the additional shower fixtures (11).

10(currently amended). A shower support according to claim 1 ~~any of the foregoing claims~~, wherein the additional shower fixture (11) is nondetachable.

11(currently amended). A shower support according to claim 1 ~~any of claims 4-9~~, wherein at least one additional shower fixture (11) is attached to the arm (5, 15) by means of a quick-connect coupler.

12(currently amended). A shower support according to claim 1 ~~any of the foregoing claims~~, wherein the arm (5, 15) is pivotable about a horizontal axis orthogonal to a ~~its~~ longitudinal axis of the arm, on a linkage on the mounting fixture (2).

13(original). A shower support according to claim 12, wherein the water conduit passes through the linkage.

14(currently amended). A shower support according to claim 1 ~~any of the foregoing claims~~, wherein the arm (5, 15) is configured in the form of a fork.

15(currently amended). A shower support according to claim 14, wherein the additional shower fixtures (11) are arranged on ~~the~~ outer faces of ~~the~~ tines (14) of the fork.

16(currently amended). A shower support according to claim 1 ~~any of the~~
~~foreroging claims~~, wherein the shower head (8) is detachable.

17(currently amended). A shower support according to claim 1 ~~any of the~~
~~foreroging claims~~, wherein the shower head (8) is supplied with water by a hose (10).